





IFOS Product Report

Product Name:	Double Strength Omega-3 Fish Oil by NutriGold®
Product Type:	Ultra Refined
Product Availability:	Worldwide
Product Summary  	<p>Double Strength Omega-3 Fish Oil (Lot #: 8491,8523,8741) by NutriGold® is a clean and highly concentrated omega-3 fish oil product. Each serving of 2 softgels provides 70% total omega-3 concentration or greater, including 800mg EPA and 400mg DHA in TG form.</p> <p>This product receives a FIVE out of FIVE Star IFOS rating based on the following criteria:</p> <ul style="list-style-type: none"> ★ Omega-3 Concentration Consistent with Label – YES ★ Passes IFOS Oxidation standards – YES ★ Passes IFOS PCB, PCDD/F standards – YES ★ Passes IFOS Heavy Metal standards – YES ★ Passes all IFOS testing categories – YES
Batch/Lot #:	8491,8523,8741
Expiry Date:	09/2022
Recommended Daily Allowance:	2 softgels daily with a meal
Company Name:	NutriGold, Inc.
Company Phone:	(800) 476-3542
Company Website:	http://www.nutrigold.com

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.
 120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4
www.ifosprogram.com | ifos@nutrasource.ca

www.ifosprogram.com



facebook.com/ifosprogram



[@IFOS_Program](https://twitter.com/IFOS_Program)



IFOS Product Report

Category 1: Potency Omega-3 content vs. product label claim	Specification mg per 2 softgels	Batch Results mg per 2 softgels	IFOS Compliance
EPA	800	999	Yes
DHA	400	473	Yes
Total Omega-3	1400	1603	Yes

Category 2: Purity, Safety & Cleanliness	IFOS Standards	Batch Results	IFOS Compliance
PCBs	< 45 ppb	0.00794 ppb	Yes
Dioxins and Furans	< 1 ppt	0.391 ppt	Yes
Dioxin-Like PCBs	< 1.5 ppt	0.0165 ppt	Yes

Category 3: Stability	IFOS Standards	Batch Results	IFOS Compliance
Acid Value	<= 3 KOH/g	0.02 KOH/g	Yes
Peroxide	<= 5 meq/kg	1.43 meq/kg	Yes
Anisidine	<= 20	2.05	Yes
Total Oxidation	<= 19.5	4.91	Yes

Category 4: Heavy Metals	IFOS Standards	Batch Results	IFOS Compliance
Mercury (Hg)	<= 0.1 ppm	0.0163	Yes
Cadmium (Cd)	<= 0.1 ppm	< 0.010	Yes
Lead (Pb)	<= 0.1 ppm	0.028	Yes
Total Arsenic (As)	<= 0.1 ppm	< 0.050	Yes

The IFOS™ Program is provided exclusively by Nutrasource Diagnostics Inc.

120 Research Lane, Suite 203 | University of Guelph Research Park | Guelph, ON CANADA N1G 0B4

www.ifosprogram.com | ifos@nutrasource.ca

www.ifosprogram.com



facebook.com/ifosprogram



[@IFOS_Program](https://twitter.com/IFOS_Program)